ASTRONOMY AND ASTROPHYSICS

A European Journal

Volume 327 1997

Published by Springer on behalf of the Board of Directors

Astronomy and Astrophysics A European Journal

Board of Directors

Chairman:
A. Maeder (Switzerland)

Vice Chairman:
A. G. Hearn (The Netherlands)

D. Alloin (France)
M. Arnould (Belgium)
M. Breger (Austria)
R. Canal (Spain)
G. di Cocco (Italy)
M. Crézé (France)
J. Einasto (Estonia)
R. Giacconi (ESO)
P. Harmanec (Czech Republic)
W. H. Kegel (Germany)
G. Kovacs (Hungary)
K. Mattila (Finland)
P. E. Nissen (Denmark)
Aa. Sandqvist (Sweden)
A. Stawikowski (Poland)
J. Ventura (Greece)
R. Wielen (Germany)
J. Zverko (Slovak Republic)

Editors-in-Chief

J. Lequeux
Astronomy and Astrophysics
Editorial Office
Observatoire de Paris
61 avenue de l'Observatoire
F-75014 Paris
France

Tel. (33–1) 43 29 05 41
Fax (33–1) 43 29 05 57
e-mail: aanda@mesiob.obspm.fr (internet)
mesioa:: aanda (span)

H. J. Habing
Astronomy and Astrophysics
Editorial Office
Leiden Observatory
P. O. Box 9513
2300 RA Leiden
The Netherlands

Tel. (31) (0) 71–5 27 59 16
Fax (31) (0) 71–5 27 58 03
e-mail: aanda@strw.leidenuniv.nl

Letter Editor

S. R. Pottasch
Kapteyn Astronomical Institute
P. O. Box 800
9700 AV Groningen
The Netherlands

Tel. (31–50) 3 63 40 93
Telefax (31–50) 3 63 61 00
e-mail: aalet@astro.rug.nl

Editorial secretaries

Miss B. Perche
Mrs. M. Rougeot

Mrs. B. Smit
Mrs. M. Wisse

Mrs. J. Zwegers-Morris

The exclusive copyright © for all languages and countries, including the right for photomechanical and any other reproduction, also in microform, is vested in European Southern Observatory (ESO).
The use of registered names, trademarks, etc. in this publication does not imply, even in the absence of a specific statement, that such names are exempt from the relevant protective laws and regulations and therefore free for general use.

Springer 1997
Printed in Germany
Printing and bookbinding: Druckhaus Beltz, 69494 Hemsbach

Volume 327 1997

Contents

Letters to the Editor

HST confirmation of the lensed quasar J03.13
Surdej J., Claeskens J.-F., Remy M., Refsdal S., Pirenne B., Prieto A., Vanderriest Ch. L1

Measurement of the flux, spectrum, and variability of TeV γ-rays from Mkn 501 during a state of high activity
Aharonian F., Akhperjanian A.G., Barrio J.A., Bernlöhr K., Beteta J.J.G., Bradbury S.M., Contreras J.L., Cortina J., Daum A., Deckers T., Feigl E., Fernandez J., Fonseca V., Fraß A., Funk B., Gonzalez J.C., Haustein V., Heinzelmann G., Hemberger M., Hermann G., Heß M., Heusler A., Hofmann W., Holl I., Horns D., Kankanian R., Kirstein O., Köhler C., Konopelko A., Kornmayer H., Kranich D., Krawczynski H., Lampeitl H., Lindner A., Lorenz E., Magnussen N., Meyer H., Mirzoyan R., Möller H., Moralejo A., Padilla L., Panter M., Petry D., Plaga R., Prahl J., Prosch C., Pühlhofer G., Rauterberg G., Rhode W., Rivero R., Röhring A., Sahakian V., Samorski M., Sanchez J.A., Schmele D., Schmidt T., Stamm W., Ulrich M., Völk H.J., Westerhoff S., Wiebel-Sooth B., Wiedner C.A., Willmer M., Wirth H. L5

Chemical stratification in the Orion Bar region: CN and CS submillimeter observations
Simon R., Stutzki J., Sternberg A., Winnewisser G. L9

EGRET gamma-ray source 2EG J0809+5117, a quasar with redshift of 1.14?
Wu X.-B., Li Q.-B., Zhao. Y.-H., Cao L. L13

New upper limits on the interstellar O_2 abundance
Combes F., Wiklind T., Nakai N. L17

A BeppoSAX observation of the Crab Pulsar (PSR B0531+21)
Mineo T., Cusumano G., Segreto A., Massaro E., Dal Fiume D., Giarrusso S., Matteuzzi A., Nicastro L., Parmar A.N. L21

Field brown dwarfs found by DENIS
Delfosse X., Tinney C.G., Forveille T., Epchtein N., Bertin E., Borsenberger J., Copet E., de Batz B., Fouqué P., Kimeswenger S., Le Bertre T., Lacombe F., Rouan D., Tiphène D. L25

Keck HIRES spectra of the brown dwarf DENIS-P J1228.2−1547
Martín E.L., Basri G., Delfosse X., Forveille T. L29

A possible 13.81 d period of the X-ray binary 4U 1700−377
König M., Maisack M. L33

The optical transient of GRB 970228, 16 hours after the burst
Pedichini F., Di Paola A., Stella L., Buonanno R., Boattini A., Gandolfi G., Costa E., Feroci M., Piro L., Dal Fiume D., Frontera F., Nicastro L., Palazzi E., Heise J., in't Zand J., Vietri M. L36

Cosmology

Magnetic fields and large-scale structure in a hot universe. II. - Magnetic flux tubes and filamentary structure
Florido E., Battaner E. 1

Magnetic fields and large scale structure in a hot Universe. III. The polyhedric network
Battaner E., Florido E., Garcia-Ruiz J.M. 8

The apsidal motion test of stellar structure in relativistic systems
Claret A. 11

Primordial nucleosynthesis with massive neutrinos
Rehm J.B., Raffelt G.G., Weiss A. 443

Perspectives for detecting cold H_2 in outer galactic disks
Combes F., Pfenniger D. 453

Scale-relativity and quantization of the universe. I. Theoretical framework
Nottale L. 867

Patchy intergalactic He II absorption in HE 2347−4342. The possible discovery of the epoch of He-reionization
Reimers D., Köhler S., Wisotzki L., Groote D., Rodriguez-Pascual P., Wamsteker W. 890

Extragalactic astronomy

Zinc and chromium abundances in a third damped Lyman α system at intermediate redshift
Pettini M., Bowen D.V. 22

Hot coronae in nearby radio galaxies
Trussoni E., Massaglia S., Ferrari R., Fanti R., Feretti L., Parma P., Brinkmann W. 27

X-ray analysis of Abell 2634 and its central galaxy 3C 465
Schindler S., Prieto M.A. 37

The $z = 0.558$ absorption system towards PKS 0118−272: A candidate Damped Ly α system at low redshift
Vladilo G., Centurión M., Falomo R., Molaro P. 47

Analytical calculations of the radial structure of self-gravitating and magnetized accretion disks in AGN
Lu Y., Yang L., Wu S. 57

Optical-IUE observations of the gamma-ray loud BL Lacertae object S5 0716+714: data and interpretation
Ghisellini G., Villata M., Raiteri C.M., Bosio S., De Francesco G., Latini G., Maesano M., Massaro E., Montagni F., Nesci R., Tosti G., Fiorucci M., Pian E., Maraschi L., Treves A., Comastri A., Mignoli M. 61

The broad line region of narrow-line Seyfert 1 galaxies
Rodríguez-Pascual P.M., Mas-Hesse J.M., Santos-Lleó M. 72

The rich cluster of galaxies ABCG 85. II. X-ray analysis using the ROSAT HRI
Lima Neto G.B., Pislar V., Durret F., Gerbal D., Slezak E. 81

Properties of optically and X-ray selected quasars
Lamer G., Brunner H., Staubert R. 467

(RN) Concentration of quasars around the active extragalactic object 3C 345
Arp H. 479

Evidence for a *dusty* warm absorber in NGC 3227?
Komossa S., Fink H. 483

Millimetre line CO (21) observations of a complete sample of AGNs
Rigopoulou D., Papadakis I., Lawrence A., Ward M. 493

Halo and bulge/disk globular clusters in the S0 galaxy NGC 1380
Kissler-Patig M., Richtler T., Storm J., Della Valle M. 503

The high-frequency compact radio structure of the peculiar quasar 4C 39.25
Alberdi A., Krichbaum T.P., Graham D.A., Greve A., Grewing M., Marcaide J.M., Witzel A., Booth R.S., Bååth L.B., Colomer F., Doeleman S., Marscher A.P., Rogers A.E.E., Schalinski C.J., Standke K. 513

The molecular gas content of spiral galaxies in the Coma/A1367 supercluster
Boselli A., Gavazzi G., Lequeux J., Buat V., Casoli F., Dickey J., Donas J. 522

Very rapid optical variability of PKS 2155–304
Paltani S., Courvoisier T.J.-L., Blecha A., Bratschi P. 539

Jet deflections in radio galaxies
Tingay S.J. 550

Soft X-ray properties of the Seyfert 1.8 galaxy NGC 3786
Komossa S., Fink H. 555

NGC 1427 A – an LMC type galaxy in the Fornax cluster
Hilker M., Bomans D.J., Infante L., Kissler-Patig M. 562

Subarcsec structures in the double nucleus of NGC 6240 disclosed with HST at 370, 430 and 500 nm
Rafanelli P., Schulz H., Barbieri C., Komossa S., Mebold U., Baruffulo A., Radovich M. 901

Photoionization of very high excitation gas in the Circinus galaxy and other active galactic nuclei
Binette L., Wilson A.S., Raga A., Storchi-Bergmann T. 909

Mergers of galaxies in clusters: Monte Carlo simulation of mass and angular momentum distribution
Krivitsky D.S., Kontorovich V.M. 921

The formation of cD galaxies
Garijo A., Athanassoula E., García-Gómez C. 930

Polarization and beaming effect for BL Lacertae objects
Fan J.H., Cheng K.S., Zhang L., Liu C.H. 947

Velocity structure of the dwarf galaxy population in the Centaurus cluster
Stein P., Jerjen H., Federspiel M. 952

(RN) The surface brightness and distance of Dwingeloo 1
Phillipps S., Davies J.I. 963

The z-structure of disk galaxies towards the galaxy planes
de Grijs R., Peletier R.F., van der Kruit P.C. 966

Galactic structure and dynamics

NGP A stars – density variation, kinematics and the total mass density of the disk
Knude J. 90

High mass-loss carbon stars and the evolution of the local $^{12}C/^{13}C$ ratio
Greaves J.S., Holland W.S. 342

The large scale structure of the galactic center at low radio frequencies
Alvarez H., Aparici J., May J. 569

Hot subdwarf stars: galactic orbits and distribution perpendicular to the plane
de Boer K.S., Aguilar Sánchez Y., Altmann M., Geffert M., Odenkirchen M., Schmidt J.H.K., Colin J. 577

The rise and fall of the NaMgAl stars
Tomkin J., Edvardsson B., Lambert D.L., Gustafsson B. 587

3D self-consistent *N*-body barred models of the Milky Way. I. Stellar dynamics
Fux R. 983

Stellar clusters and associations

Chronology of the halo globular cluster system formation
Salaris M., Weiss A. 107

(RN) Metallicity of the young halo globular cluster Ruprecht 106
François P., Danziger J., Buonanno R., Perrin M.N. 121

Dust properties in the direction of Trumpler 37
Morbidelli L., Patriarchi P., Perinotto M., Barbaro G., Di Bartolomeo A. 125

Have many globulars disappeared to the galactic centres? The case of the Galaxy, M 31 and M 87
Capuzzo-Dolcetta R., Vignola L. 130

Astrometry of the globular cluster 47 Tucanae and possible optical identification of X-ray sources
Geffert M., Aurière M., Koch-Miramond L. 137

(RN) Binary stars in globular clusters: detection of a binary sequence in NGC 2808?
Ferraro F.R., Carretta E., Fusi Pecci F., Zamboni A. 598

The stellar distribution of the globular cluster M 55
Zaggia S.R., Piotto G., Capaccioli M. 1004

Formation, structure and evolution of stars

Dust around young stars. Photopolarimetric activity of the classical Herbig Ae/Be star RR Tauri
Rostopchina A.N., Grinin V.P., Okazaki A., Thé P.S., Kikuchi S., Shakhovskoy D.N., Minikhulov N.Kh. 145

Orthogonal polarization mode phenomenon in pulsars
Gangadhara R.T. 155

The RV-variations of γ Coronae Borealis – a frequency analysis
Lehmann H., Scholz G., Hildebrandt G., Yang S. 167

HS 1804+6753: a new eclipsing CV above the period gap
Fiedler H., Barwig H., Mantel K.H. 173

Two new ROSAT discovered high field polars: RX J2022.6–3954 in Sagittarius and RX J0132.7–6554 in Hydrus
Burwitz V., Reinsch K., Beuermann K., Thomas H.-C. 183

Spectrophotometric study of southern symbiotic stars
Mikołajewska J., Acker A., Stenholm B. 191

Centre to limb darkening of stars. New model and application to stellar interferometry
Hestroffer D. 199

Biparametric calibrations of stellar mass, radius and surface gravity using uvby-H_β photometry
Ribas I., Jordi C., Torra J., Giménez A. 207

The *BeppoSAX* LECS X-ray spectrum of Hercules X-1
Oosterbroek T., Parmar A.N., Martin D.D.E., Lammers U. 215

The polarimetric orbit of Z Andromedae
Schmid H.M., Schild H. 219

Pulsations in red supergiants with high L/M ratio. Implications for the stellar and circumstellar structure of supernova progenitors
Heger A., Jeannin L., Langer N., Baraffe I. 224

The cataclysmic variable WW Ceti: physical parameters and periodic phenomena
Tappert C., Wargau W.F., Hanuschik R.W., Vogt N. 231

Luminosity and related parameters of δ Scuti stars from Hipparcos parallaxes. General properties of luminosity
Antonello E., Mantegazza L. 240

The eclipsing AM Herculis binary V 2301 Ophiuchi. I. ROSAT & IUE observations
Hessman F.V., Beuermann K., Burwitz V., de Martino D., Thomas H.-C. 245

Cataclysmic variables in the ROSAT PSPC All Sky Survey
Verbunt F., Bunk W.H., Ritter H., Pfeffermann E. 602

Circumstellar dust shells around long-period variables. VI. An approximative formula for the mass loss rate of C-rich stars
Arndt T.U., Fleischer A.J., Sedlmayr E. 614

Stability criteria for mass transfer in binary stellar evolution
Soberman G.E., Phinney E.S., van den Heuvel E.P.J. 620

(RN) First CCD measurements in the a system for detecting CP2 stars
Maitzen H.M., Paunzen E., Rode M. 636

Spectroscopic observations of the interacting binary BY Crucis
Daems K., Waelkens C. 640

SS 433 in the ultraviolet
Dolan J.F., Boyd P.T., Fabrika S., Tapia S., Bychkov V., Panferov A.A., Nelson M.J., Percival J.W., van Citters G.W., Taylor D.C., Taylor M.J. 648

Oxygen-rich Mira variables: near-infrared luminosity calibrations. Populations and period-luminosity relations
Alvarez R., Mennessier M.-O., Barthès D., Luri X., Mattei J.A. 656

The GO Cygni system: a near contact eclipsing binary
Rovithis-Livaniou H., Rovithis P., Oprescu G., Dumitrescu A., Suran M.D. 1017

Eclipse maps of the dwarf nova IP Pegasi on the decline from outburst
Bobinger A., Horne K., Mantel K.-H., Wolf S. 1023

Structure and evolution of low-mass stars
Chabrier G., Baraffe I. 1039

Evolutionary models for metal-poor low-mass stars. Lower main sequence of globular clusters and halo field stars
Baraffe I., Chabrier G., Allard F., Hauschildt P.H. 1054

The discovery of a new massive O-type close binary: CMa (HD 57061), based on Hipparcos and Walraven photometry
van Leeuwen F., van Genderen A.M. 1070

A spectroscopic study of the δ Scuti star ρ Puppis
Mathias P., Gillet D., Aerts C., Breitfellner M.G. 1077

On the relation of changes of the period and brightness in the close binaries SW Cygni and U Sagittae
Šimon V. 1087

V 3903 Sagittarii: a massive main-sequence (O 7V+O 9V) detached eclipsing binary
Vaz L.P.R., Cunha N.C.S., Vieira E.F., Myrrha M.L.M. 1094

A spectroscopic study of the long-period dwarf nova DX Andromedae
Bruch A., Vrielmann S., Hessman F.V., Kochsiek A., Schimpke T. 1107

Long-term photometric flares patrol (1967–1977) on EV Lacertae: a clear evidence of a longitude concentrated flaring activity in 1970
Leto G., Pagano I., Buemi C.S., Rodonò M. 1114

Stellar atmospheres

Thermal condensations in large stellar coronal loops
Ferreira J.M., Mendoza-Briceño C.A. 252

A spectral analysis of HDE 269445 from optical and infrared observations
Pasquali A., Schmutz W., Nota A., Origlia L. 265

Unstable waves in winds of magnetic massive stars
Seemann H., Biermann P.L. 273

Coordinated ultraviolet and Hα spectroscopy of bright O-type stars
Kaper L., Henrichs H.F., Fullerton A.W., Ando H., Bjorkman K.S., Gies D.R., Hirata R., Kambe E., McDavid D., Nichols J.S. 281

Acceleration of relativistic plasma in the magnetosphere of an axisymmetric rotator
Bogovalov S.V. 662

Sub-arcsecond morphology and kinematics of the DG Tauri jet in the [O I]λ6300 line
Lavalley C., Cabrit S., Dougados C., Ferruit P., Bacon R. 671

The Na I resonance lines as a spectroscopic test of late-type stellar atmospheres
Tripicchio A., Severino G., Covino E., Terranegra L., García López R.J. 681

The rich molecular content of OH 231.8+4.2
Sánchez Contreras C., Bujarrabal V., Alcolea J. 689

Wind variability of B supergiants. III. Corotating spiral structures in the stellar wind of HD 64760
Fullerton A.W., Massa D.L., Prinja R.K., Owocki S.P., Cranmer S.R. 699

A search for planetary nebulae around hot white dwarfs
Werner K., Bagschik K., Rauch T., Napiwotzki R. 721

Physical properties of stellar winds from young stellar objects
Hou Jinliang, Jiang Dongrong, Fu Chengqi 725

Mid-infrared images and models of the β Pictoris dust disk
Pantin E., Lagage P.O., Artymowicz P. 1123

Abundance analysis of roAp stars. IV. HD 24712
Ryabchikova T.A., Landstreet J.D., Gelbmann M.J., Bolgova G.T., Tsymbal V.V., Weiss W.W. 1137

Circumstellar grains: radiation pressure and temperature distribution
Lamy P.L., Perrin J.-M. 1147

A numerical simulation of the Wilson–Bappu relationship
Cheng Q.-Q., Engvold O., Elgarøy Ø. 1155

Diffuse matter in space (including H II regions and planetary nebulae)

Sub-arcsec resolution infrared images of the star forming region G 35.20–1.74
Persi P., Felli M., Lagage P.O., Roth M., Testi L. 299

17 μm molecular hydrogen line emission from OMC-1
Burton M.G., Haas M.R. 309

Photoevaporation of protostellar disks. II. The importance of UV dust properties and ionizing flux
Richling S., Yorke H.W. 317

Physical properties of molecular clouds in the southern outer Galaxy
May J., Alvarez H., Bronfman L. 325

Collapse spectra of cloud turbulence
Li X.Q., Zhang H. 333

Diffuse interstellar bands near 9600 Å: not due to $C60^+$ yet
Jenniskens P., Mulas G., Porceddu I., Benvenuti P. 337

On the mass distribution of planetary nebulae central stars
Stasińska G., Górny S.K., Tylenda R. 736

Low-temperature infrared properties of cosmic dust analogues
Henning Th., Mutschke H. 743

(RN) Search for H_2O maser emission from high-latitude IRAS sources
Palla F., Codella C., Valdettaro R., Baffa C. 755

L 1287 (H_2O): accretion disk-impinging-clumps traced by masers?
Fiebig D. 758

Herbig–Haro flows and molecular outflows in the HH 56/57 region
Reipurth B., Olberg M., Gredel R., Booth R.S. 1164

Kinematics and electron temperatures in the core of Orion A
Wilson T.L., Filges L., Codella C., Reich W., Reich P. 1177

Thackeray's globules in IC 2944
Reipurth B., Corporon P., Olberg M., Tenorio-Tagle G. 1185

On the distance to the Chamaeleon I and II associations
Whittet D.C.B., Prusti T., Franco G.A.P., Gerakines P.A., Kilkenny D., Larson K.A., Wesselius P.R. 1194

The ortho and para fractions of molecular hydrogen in protostellar outflows and Herbig–Haro objects
Smith M.D., Davis C.J., Lioure A. 1206

The diffuse interstellar bands at 5797, 6379 and 6613 Å. Ionization properties of the carriers
Sonnentrucker P., Cami J., Ehrenfreund P., Foing B.H. 1215

The Sun

Updated solar models
Morel P., Provost J., Berthomieu G. 349

Distribution of sunspot groups from asymmetric rising flux loops
Schüssler M., Wöhl H. 361

Randomly sampling the chromospheric peak power distribution
Doyle J.G., van den Oord G.H.J., O'Shea E. 365

Magnetoacoustic wave propagation in current sheets
Smith J.M., Roberts B., Oliver R. 377

Influence of heavy element and rotationally induced diffusions on the solar models
Gabriel M. 771

Flow patterns around old sunspots and flare activity
Kálmán B. 779

Dynamical phenomena in sunspots. I. Time dependent relaxation to equilibrium
Gangadhara R.T., Hasan S.S. 786

Estimation of the depths of initial anchoring and the rising-rates of sunspot magnetic structures from rotation frequencies of sunspot groups
Javaraiah J., Gokhale M.H. 795

Aspects of the solar tachocline
Elliott J.R. 1222

Simultaneous temperature and density diagnostics of optically thin plasmas
Landi E., Landini M. 1230

The solar system

Compositional properties of Near-Earth Asteroids: spectroscopic comparison with Ordinary Chondrite Meteorites
Lazzarin M., Di Martino M., Barucci M.A., Doressoundiram A., Florczak M. 388

The cosmic rays mediated nonpolytropic solar wind interacting with the interstellar neutral matter
Banaszkiewicz M., Ziemkiewicz J. 392

On atmospheric excitation of out-of-phase nutational components
Molodensky S., Groten E. 800

Meteor stream activity. V. The Quadrantids, a very young stream
Jenniskens P., Betlem H., de Lignie M., Langbroek M., van Vliet M. 1242

The 1993 south equatorial belt revival and other features in the Jovian atmosphere: an observational perspective
Moreno F., Molina A., Ortiz J.L. 1253

Celestial mechanics and astrometry

Finding "absolute" parallaxes directly
Eichhorn H. 404

A second order Laplace–Lagrange theory applied to the uranian satellite system
Christou A.A., Murray C.D. 416

Physical and chemical processes

On the stochastic gravitational radiation background produced by an ensemble of single neutron stars
Postnov K.A., Prokhorov M.E. 428

Anomalous transport of cosmic ray electrons
Ragot B.R., Kirk J.G. 432

Erratum: Electron conduction along quantizing magnetic fields in neutron star crusts. I. Theory
Potekhin A.Y. 441

Erratum: Electron conduction along quantizing magnetic fields in neutron star crusts. II. Practical formulae
Potekhin A.Y., Yakovlev D.G. 442

The galactic dynamo effect due to Parker-shearing instability of magnetic flux tubes. II. Numerical simulations and the nonlinear evolution
Hanasz M. 813

Chemical reactions in protoplanetary accretion disks. III. The role of ionisation processes
Finocchi F., Gail H.-P. 825

A new approach to the canonical s-process model
Goriely S. 845

Dynamical response of magnetic tubes to transverse perturbations. II. Towards thin flux tubes
Ziegler U., Ulmschneider P. 854

Diffuse gas condensation induced by variations of the ionizing flux
Parravano A., Pech C. 1262

Preview of accepted papers (August 1997) 863

Preview of accepted papers (September 1997) 1271

Abstracts of articles which have been published in A&A Supplement Series 125, No. 1 1274

NTT CCD photometry of the globular cluster M 79 = NGC 1904 in *UBV*
Kravtsov V., Ipatov A., Samus N., Smirnov O., Alcaíno G., Liller W., Alvarado F. 1274

Starspot photometry with robotic telescopes. Continuous *UBV* and $V(RI)_C$ photometry of 23 stars in 1991–1996
Strassmeier K.G., Bartus J., Cutispoto G., Rodonó M. 1274

uvby photometry of the magnetic chemically peculiar stars HD 37776, HR 2258, HR 6958, and 108 Aquarii
Adelman S.J. 1274

Photometric CCD sequences for calibration of the ESO/SERC atlas
Cunow B., Duemmler R., Spiekermann G., Ungruhe R., Wargau W.F. 1274

UBV photometry of Be stars at Hvar: 1972–1990
Pavlovski K., Harmanec P., Božić H., Koubský P., Hadrava P., Kříž S., Ružić Ž., Štefl S. 1275

A large scale CO survey of the Galactic center region
Bitran M., Alvarez H., Bronfman L., May J., Thaddeus P. 1275

Imaging binary stars by the cross-correlation technique
Aristidi E., Carbillet M., Lyon J.-F., Aime C. 1275

CHIANTI – an atomic database for emission lines. I. Wavelengths greater than 50 Å
Dere K.P., Landi E., Mason H.E., Monsignori Fossi B.C., Young P.R. 1275

A stellar coronograph for the COME-ON-PLUS adaptive optics system. I. Description and performance
Beuzit J.-L., Mouillet D., Lagrange A.-M., Paufique J. 1275

Night-time image quality at Roque de los Muchachos Observatory
Muñoz-Tuñón C., Vernin J., Varela A.M. 1276

Techniques used in the analysis of data collected by the Birmingham Solar-Oscillations Network (BiSON). II. Frequency domain analysis & data merging
Chaplin W.J., Elsworth Y., Howe R., Isaak G.R., McLeod C.P., Miller B.A., New R. 1276

Method of running parabolae: Spectral and statistical properties of the smoothing function
Andronov I.L. 1276